

SECRET

PIC/D-135/60
22 December 1960

MEMORANDUM FOR: Director of Communications

THROUGH :

25X1

SUBJECT : PIC Communications Requirements

1. During the latter part of 1961, the Photographic Intelligence Center is scheduled to move to its new location [redacted]

25X1
25X1

Further, it is expected that a small contingent (about seven persons) from PIC will be permanently established in the new CIA Building, Langley, Virginia.

2. Pursuant to recent discussions between [redacted] of your office and appropriate representatives of PIC, we have tried to establish what our communications requirements will be [redacted]. It is tentatively estimated that the following equipment will be needed to enable PIC to communicate directly with the new CIA Building as well as with other components of the intelligence community on a continuous and expeditious basis:

25X1

25X1

a. Installation of a signal center [redacted].

25X1

b. Installation of one teletype unit [redacted] to communicate with the special signal center at DFD/DDP and the main signal center in Langley, Virginia.

25X1

c. Installation of secure gray phones [redacted].

25X1

3. These tentative requirements are submitted for your consideration. We recognize that they will be subject to modification as dictated by security and communications regulations. Comments and suggestions would be very much appreciated.

[redacted]
Deputy Director

Photographic Intelligence Center

25X1

Distribution: O & 1 - Addressee

1 - [redacted]

DPD/DDP

25X1

1 - [redacted]

2 ✓ OD/PIC

(1 Dec 1960)

SECRET

25X1